



# The Advanced Spectroscopic Portal Program: Background and Issues for Congress

**Dana A. Shea**

Specialist in Science and Technology Policy

**John D. Moteff**

Specialist in Science and Technology Policy

**Daniel Morgan**

Specialist in Science and Technology Policy

September 3, 2009

Congressional Research Service

7-5700

[www.crs.gov](http://www.crs.gov)

RL34750

## Summary

The Domestic Nuclear Detection Office (DNDO) of the Department of Homeland Security (DHS) is charged with developing and procuring equipment to prevent a terrorist nuclear or radiological attack in the United States. At the forefront of DNDO's efforts are technologies currently deployed and under development whose purpose is to detect smuggled nuclear and radiological materials. These technologies include existing radiation portal monitors and next-generation replacements known as advanced spectroscopic portals (ASPs).

Radiation portal monitors are used to detect radiation emitted from conveyances, such as trucks, entering the United States. Combined with additional equipment to identify the source of the emitted radiation, they provide for a detection and identification capability to locate smuggled nuclear and radiological materials. The ASPs currently under testing integrate these detection and identification steps into a single process. By doing this, DHS aims to reduce the impact of radiation screening on commerce while increasing its ability to detect illicit nuclear material.

The speed of ASP development and deployment, the readiness of ASP technology, and the potential benefits of the ASP program relative to its cost have all been topics of extensive congressional interest. Congress has held oversight hearings regarding the ASP program. Additionally, since FY2007, Congress has each year required that the Secretary of Homeland Security certify that ASPs will result in a "significant increase in operational effectiveness" before DHS can obligate appropriated funds for full-scale ASP procurement. The DNDO asserts that the secretarial certification and the full-scale production decision will be made separately. Secretarial certification is still pending.

Laboratory and field tests of the ASPs, cost-benefit analyses, and other activities are under way to inform the Secretary's certification decision. Among the issues Congress faces are whether to further define the expected performance of the ASP systems through additional legislation; how to assess whether the ASP systems are technologically ready to be deployed; how to weigh the potential economic and security benefits of ASP deployment against its financial cost; and whether the certification process developed by DHS to establish a "significant increase in operational effectiveness" is well founded.

## **Contents**

Introduction .....	1
History and Background.....	1
Issues for Congress .....	5
Capability to Detect and Identify Threats.....	5
Costs and Benefits .....	6
Criteria for Secretarial Certification.....	8
Durability of Certification Criteria .....	8
Amount of Improvement .....	9
Verification of Performance.....	9
System Aspects Addressed .....	10
Procedural Changes .....	10
Computational Modeling and Analysis .....	10
Detection Threshold and Energy Windowing.....	10
Actions Following Secretarial Certification .....	11
Options for Congress .....	12
Maintain Status Quo.....	12
Increase Clarity Regarding a Significant Increase in Operational Effectiveness.....	12
Increase Oversight Activities .....	13
Review Secretarial Certification.....	13
Change Program Direction .....	13
Activities in the 111 <sup>th</sup> Congress .....	13

## **Contacts**

Author Contact Information .....	14
----------------------------------	----

## Introduction

The attacks of September 11, 2001, prompted an increased federal focus on protecting the United States against terrorist nuclear or radiological attack. Since that time, the federal government has expanded existing programs, developed new programs, and deployed new equipment at U.S. borders and elsewhere. The global nuclear detection architecture has multiple facets, including security to make acquiring threat material more difficult, intelligence activities, law enforcement activities, and deployment of radiation detection equipment.<sup>1</sup> New technologies have been proposed to replace or augment existing radiation detection equipment and enhance its effectiveness. Primary among these new systems is an improved type of radiation detection device known as the Advanced Spectroscopic Portal (ASP). This report provides an overview of the ASP program's history and outlines issues for Congress as the program moves forward.

## History and Background

The ASP program is an effort by the Department of Homeland Security (DHS) to develop, procure, and deploy a successor to the existing radiation detection portals. Radiation detection portals, also known as radiation portal monitors, are designed to detect the emission of radiation from objects that pass by them. The current portals are generally deployed at the U.S. land and sea borders by DHS's Domestic Nuclear Detection Office (DNDO) and operated by DHS's Customs and Border Protection (CBP).

Current DHS procedures include the following steps: When entering the United States, cargo conveyances, such as trucks, are to pass through a radiation detection portal. This process is called primary screening. If radiation is present, a CBP officer is to be alerted. The conveyance is to be directed to a second radiation detection portal, which confirms the presence of radiation and where additional equipment can be used to identify the origin of the radiation and determine whether it comes from a potential threat. This process is called secondary screening. Consequently, the current approach to radiation detection at the border is based on a two-step process using two different types of equipment. The ASP, in contrast, is designed to both detect radiation and identify its source.

An increase in system efficacy might provide both security and economic benefits. More effective *detection* could increase the likelihood of preventing a nuclear threat from entering the United States. More effective *source identification* could reduce the costs and delays associated with "nuisance alarms" from innocuous radiation sources, such as cat litter or ceramic tiles.

The ASP program was begun in 2004 by the DHS Directorate of Science and Technology, which funded initial research and development through two broad agency announcements (BAAs).<sup>2</sup> When DNDO was established in April 2005,<sup>3</sup> responsibility for the ASP program was transferred

---

<sup>1</sup> For more information, see CRS Report RL34574, *The Global Nuclear Detection Architecture: Issues for Congress*, by Dana A. Shea.

<sup>2</sup> Department of Homeland Security, Homeland Security Advanced Research Projects Agency, *Detection Systems for Radiological and Nuclear Countermeasure, Proposer Information Pamphlet*, Broad Agency Announcement BAA-04-02, January 30, 2004; and *Detection Systems for Radiological and Nuclear Countermeasure, Proposer Information Pamphlet*, Broad Agency Announcement BAA-05-04, December 2, 2004.

<sup>3</sup> The DNDO was first established by presidential directive: Executive Office of the President, The White House, (continued...)

to DNDO. In 2005, under DNDO auspices, ASP advanced technology prototypes were tested at the Nevada Test Site. Subsequent to this testing, DNDO issued a request for proposals regarding procurement of ASP systems.<sup>4</sup>

In March 2006, the Government Accountability Office (GAO) expressed concerns that “in tests performed during 2005, the detection capabilities of the advanced technology prototypes demonstrated mixed results—in some cases they worked better, but in other cases, they worked about the same as already deployed systems.”<sup>5</sup> The GAO recommended that the Secretary of Homeland Security work with the Director of DNDO to prepare a cost-benefit analysis for the deployment of ASPs.

In May 2006, DNDO reported on a cost-benefit analysis that it said supported the proposed ASP procurement. In July 2006, it awarded contracts to three companies—Raytheon Company, Thermo Electron Corporation (now known as Thermo Fisher Scientific), and Canberra Industries—to further develop and manufacture ASP systems. The Raytheon and Thermo systems used medium-resolution detectors made of sodium iodide (NaI); the high-resolution Canberra system used high-purity germanium (HPGe).<sup>6</sup> The DHS stated that it planned to procure and deploy 80 systems quickly and ultimately to deploy a total of about 1,400 at land and sea ports of entry.<sup>7</sup>

In October 2006, GAO reported that the DNDO cost-benefit analysis did “not provide a sound analytical basis for DNDO’s decision to purchase and deploy new portal monitor technology.”<sup>8</sup> The GAO’s concerns involved both the cost of ASPs and their performance relative to existing radiation detection systems.

In the Department of Homeland Security Appropriations Act, 2007 (P.L. 109-295, signed into law October 4, 2006), Congress prohibited DHS from obligating FY2007 funds for full-scale procurement of ASPs “until the Secretary of Homeland Security has certified ... that a significant increase in operational effectiveness will be achieved.” The act did not define or explain the phrase “significant increase in operational effectiveness.”

Faced with criticism of its test results and cost-benefit analysis, DNDO engaged in a further round of ASP testing in 2007. These tests were to generate the data needed to support secretarial

---

(...continued)

“Domestic Nuclear Detection,” National Security Presidential Directive NSPD-43/Homeland Security Presidential Directive HSPD-14, April 15, 2005. Statutory authority was subsequently provided in the SAFE Port Act (P.L. 109-347, Section 501).

<sup>4</sup> Department of Homeland Security, Domestic Nuclear Detection Office, “Advanced Spectroscopic Program,” *Request for Proposal*, HSHQDC-05-R-00009, October 17, 2005.

<sup>5</sup> Government Accountability Office, *Combating Nuclear Smuggling: DHS Has Made Progress Deploying Radiation Detection Equipment at U.S. Ports-of-Entry, but Concerns Remain*, GAO-06-389, March 2006.

<sup>6</sup> The DNDO subsequently determined that the high-resolution system did not meet contract milestones. The contract was cancelled. Only the two medium-resolution systems continue to be tested.

<sup>7</sup> *Remarks by Homeland Security Secretary Michael Chertoff and DNDO Director Vayl Oxford at a Press Conference to Announce Spectroscopic Portal (ASP) Program Contracts*, July 16, 2006, online at [http://www.dhs.gov/xnews/releases/press\\_release\\_0953.shtm](http://www.dhs.gov/xnews/releases/press_release_0953.shtm).

<sup>8</sup> Government Accountability Office, *Combating Nuclear Smuggling: DHS’s Cost-benefit Analysis to Support the Purchase of New Radiation Detection Portal Monitors Was Not Based on Available Performance Data and Did Not Fully Evaluate All the Monitors’ Costs and Benefits*, GAO-07-133R, October 17, 2006.

certification and to provide additional information regarding the capabilities of the ASP systems.<sup>9</sup> The GAO reviewed the 2007 ASP tests and criticized them as being methodologically flawed.<sup>10</sup> The GAO's criticisms included the use of the same radiation sources and shielding material for both calibration and performance testing and the inclusion of test results that might not have statistical significance. In September 2008, GAO issued another report critical of DNDO's ongoing ASP testing.<sup>11</sup> It found that further testing by DNDO "provide[d] little information about the actual performance capabilities of the ASPs," and that the resulting test report should not be used in determining whether ASPs are a significant improvement over currently deployed equipment.

The DNDO strongly disputed these criticisms. In response to GAO's initial critique, DHS convened an Independent Review Team to address the criticisms and determine their validity. The purpose of this review was described as "to assist the Secretary in determining whether he should certify that there will be a significant increase in operational effectiveness with the procurement of the ASP system."<sup>12</sup> The Independent Review Team found no bias in the test results, but it concluded that some aspects of the testing process were "not ideal."<sup>13</sup> The Independent Review Team also concluded that the test results and measures of effectiveness were not properly linked to operational outcomes, that the testing up to that point was properly characterized as developmental, and that no independent operational testing and evaluation had been conducted.<sup>14</sup> Following the Independent Review Team review, DNDO undertook another round of ASP system testing.

The DNDO had agreed to perform computer simulation of certain combinations of threat objects and masking materials in response to feedback from Department of Energy personnel. These computer simulations, referred to as injection studies, used synthesized signals created from combining the spectrum of a threat object with data taken from the stream of commerce. The ASP system was then tested with these combined signals to determine if the threat object could be detected by the system. These injection studies were intended by DNDO to address a limited number of scenarios, and DNDO asserted that any certification would not be solely dependent on the results of the injection studies.<sup>15</sup> As of the time of the Independent Review Team report, these injection studies were still under way.

---

<sup>9</sup> Testimony of Vayl S. Oxford, Director, Domestic Nuclear Detection Office, before the House Committee on Energy and Commerce, Subcommittee on Oversight and Investigations, September 18, 2007.

<sup>10</sup> Government Accountability Office, *Additional Actions Needed to Ensure Adequate Testing of Next Generation Radiation Detection Equipment*, GAO-07-1247T, September 18, 2007.

<sup>11</sup> Government Accountability Office, *Combating Nuclear Smuggling: DHS's Phase 3 Test Report on Advanced Spectroscopic Portal Monitors Does Not Fully Disclose the Limitations of the Test Results*, GAO-08-979, September 2008.

<sup>12</sup> Testimony of Paul A. Schneider, Under Secretary for Management, Department of Homeland Security, before the House Committee on Energy and Commerce, Subcommittee on Oversight and Investigations, September 18, 2007.

<sup>13</sup> Testimony of George E. Thompson, Deputy Director, Homeland Security Institute, before the House Committee on Homeland Security, Subcommittee on Emerging Threats, Cybersecurity, Science and Technology, March 5, 2008.

<sup>14</sup> Testimony of Vayl S. Oxford, Director, Domestic Nuclear Detection Office, before the House Committee on Homeland Security, Subcommittee on Emerging Threats, Cybersecurity, and Science and Technology, March 5, 2008.

<sup>15</sup> House Energy and Commerce Committee, Subcommittee on Oversight and Investigations, Hearing on Nuclear Terrorism Prevention: Status Report on the Federal Government's Assessment of New Radiation Detection Monitors, September 18, 2007.

In the Consolidated Appropriations Act, 2008 (P.L. 110-161, signed into law December 26, 2007), Congress prohibited the obligation of FY2008 funds for full-scale ASP procurement until the Secretary of Homeland Security certified a “significant increase in operational effectiveness”—the same language as in the FY2007 act. This time, the act also directed the Secretary to consult with the National Academy of Sciences before issuing the certification and to submit separate certifications for ASP’s use in primary and secondary screening. (If primary screening detects a potential threat, secondary screening is undertaken to confirm the detection and identify the source.) The Consolidated Security, Disaster Assistance, and Continuing Appropriations Act, 2009 (P.L. 110-329, signed into law September 30, 2008), continued the requirement for secretarial certification before obligation of FY2009 funds. Again, the phrase “significant increase in operational effectiveness” was neither defined nor explained in either act.

The National Academies issued an interim report on the ASP program in 2009.<sup>16</sup> Although generally supportive of how the most recent ASP system testing was performed, the National Academies report identified several shortcomings in the ASP test campaigns. These included too limited a range of configurations of test objects and masking materials, not enough operational testing, and no plan for incremental deployment of ASP systems to allow for further refinement of the systems based on field operation. The NAS recommended that DNDO expand its computer modeling to allow simulation of ASP performance for combinations of threat and shielding materials beyond those already tested or available. The NAS also suggested different metrics to assess the performance of the existing radiation portal monitors and ASP systems and provided guidance to DNDO for future cost-benefit assessment of the ASP systems.

The GAO also reviewed the most recent test campaign and, like the National Academies, reported improvement in the rigor of the tests.<sup>17</sup> The GAO stated that the preliminary results from the testing were mixed and that the difference in sensitivity between the ASP and existing systems varied depending on the amount of shielding. It recommended that DNDO continue testing the ASP systems against modified versions of the existing radiation portal monitors. The GAO also recommended that the results of the injection studies be completed before a secretarial certification decision is made.

The DNDO continues to engage in additional testing and evaluation, which it expects will lead to a secretarial decision regarding certification in late 2009.<sup>18</sup> DNDO officials have stated that they will move forward with the certification decision only when the available test results and other information are sufficient to support it, but they have not committed to waiting for the completion of other efforts. The DNDO asserts that existing test results are sufficient for ASPs to demonstrate a significant increase in operational effectiveness.<sup>19</sup> If the Secretary of Homeland Security

---

<sup>16</sup> The National Research Council, an arm of the National Academies, convened a committee of experts that performed the study. Committee on Advanced Spectroscopic Portals, National Research Council, *Evaluating Testing, Costs, and Benefits of Advanced Spectroscopic Portals for Screening Cargo at Ports of Entry: Interim Report (Abbreviated Version)*, 2009.

<sup>17</sup> Government Accountability Office, *Combating Nuclear Smuggling: Lessons Learned from DHS Testing of Advanced Radiation Detection Portal Monitors*, GAO-09-804T, June 25, 2009, and Government Accountability Office, *Combating Nuclear Smuggling: DHS Improved Testing of Advanced Radiation Detection Portal Monitors, but Preliminary Results Show Limits of the New Technology*, GAO-09-655, May 2009.

<sup>18</sup> CQ Congressional Transcripts, House Appropriations Subcommittee on Homeland Security Holds Hearing on Cargo and Container Security, April 1, 2009.

<sup>19</sup> Government Accountability Office, *Combating Nuclear Smuggling: DHS Improved Testing of Advanced Radiation Detection Portal Monitors, but Preliminary Results Show Limits of the New Technology*, GAO-09-655, May 2009.

certifies that a “significant improvement in operational effectiveness” has been achieved, DNDO would be able to obligate the FY2007, FY2008, and FY2009 funds already appropriated for ASP procurement, if they have not been reprogrammed for another purpose. Following secretarial certification, DNDO may choose to begin immediate acquisition and deployment of ASPs at ports of entry, conduct further ASP system testing, or take some other course. The most recent ASP Project Execution Plan, which describes the number of ASPs to be procured and how they would be deployed, reportedly no longer reflects DNDO’s current plans.<sup>20</sup> The DNDO asserts that the ASP program no longer requires additional appropriated funds for ASP procurement; the Administration has requested no acquisition funds for FY2010.<sup>21</sup>

## Issues for Congress

Through hearings, letters, legislation, and report language, some Members of Congress have expressed both concern about the ASP program and support for it. Congress faces policy issues in several areas: the effectiveness of ASP technology at detecting and identifying threats, the ASP program’s costs relative to its benefits, the Secretary’s criteria for determining whether ASPs will provide a “significant increase in operational effectiveness,” and future actions following secretarial certification.

### Capability to Detect and Identify Threats

The effectiveness of ASP technology hinges on its ability to both detect radiation and identify its source. These tasks are currently performed sequentially, using two different types of equipment. The ASP technology would integrate the tasks into a single step. A key question for Congress is whether ASPs would perform sufficiently better than the existing systems to make investment in ASPs worthwhile. Since the ASP technology is intended to perform both detection and identification, this question can be asked with respect to both functions.

The DNDO’s ongoing testing is intended to provide the remaining information needed to compare ASP performance with the performance of existing systems. Because of the criticism of past ASP test campaigns by GAO and others, Congress directed DHS to have the National Academies examine the methodology and results of the ASP test campaigns and evaluate how DNDO uses those results to assess ASP performance.<sup>22</sup> Congress may wish to consider the sufficiency of DHS’s plans for further ASP development, procurement, and deployment in light of the National Academies’ assessment.

Some nongovernmental critics believe that even if ASPs are better than existing radiation portal monitors at detecting and identifying radioactive material, they cannot provide a sufficient defense. These critics state that nuclear material can be shielded or divided into amounts too

---

<sup>20</sup> Government Accountability Office, *Combating Nuclear Smuggling: DHS’s Program to Procure and Deploy Advanced Radiation Detection Portal Monitors Is Likely to Exceed the Department’s Previous Cost Estimates*, GAO-08-1108R, September 22, 2008.

<sup>21</sup> Department of Homeland Security, Domestic Nuclear Detection Office, “Systems Acquisition,” *Fiscal Year 2010 Congressional Justification*.

<sup>22</sup> The National Academies issued an interim report in 2009. Committee on Advanced Spectroscopic Portals, National Research Council, *Evaluating Testing, Costs, and Benefits of Advanced Spectroscopic Portals for Screening Cargo at Ports of Entry: Interim Report (Abbreviated Version)*, 2009.



small to be detected and that detection equipment can be avoided by illegally entering the United States away from official ports of entry.<sup>23</sup> These arguments challenge the belief that better detection systems are an effective way to protect against the threat of nuclear and radiological terrorism.

## **Costs and Benefits**

In 2006, DNDO conducted a cost-benefit analysis for the development and deployment of ASP systems. Additional DNDO cost-benefit analyses are to be used as input to the Secretary's certification decision. It appears that the analyses conducted so far have focused mainly on the economic costs of implementation and the economic benefits to commerce by improving the efficiency of the radiation screening process. According to the National Academies, it appears likely that the costs of the ASP program will outweigh these economic benefits. Therefore, factors more difficult to quantify, such as risk reduction related to nuclear terrorism, may determine the benefits of the ASP systems.

The expected economic cost of procuring and deploying ASP systems has changed since the inception of the program, as have the number, type, and purpose of the systems themselves. Rather than an all-inclusive suite of ASP varieties, DNDO has chosen to focus on a single type of ASP used to screen trucks and shipping containers. According to life cycle cost analysis by GAO, the cost of the ASP program has increased from the original \$1.2 billion to approximately \$3.1 billion for the previously planned full deployment or approximately \$2.1 billion for the currently planned reduced deployment. The DNDO asserts that the actual number of deployed systems may change dramatically depending on the results of ongoing testing.<sup>24</sup>

The DNDO asserts that the number of nuisance alarms, in which radiation is detected correctly but comes from an innocuous source, would be greatly reduced following deployment of the ASP systems. This reduction would result from the ASP's ability to identify the source of the radiation it detects and discriminate between dangerous and innocuous sources. Because of this expected reduction, the number of conveyances that would be required to go through subsequent, more in-depth screening would be reduced, and as a result, the radiation screening process would have less impact on commerce. The DNDO stated in 2006, based on its cost-benefit analysis at that time, that the value of the reduced impact on commerce outweighed the cost of the ASP program and caused deployment of the ASP systems to be a preferred outcome. The GAO disagreed with this conclusion, asserting that the 2006 cost-benefit analysis did not provide a sound analytical basis.<sup>25</sup>

It appears that DNDO's cost-benefit analyses have not attempted to quantify the security benefit of making radiation screening more effective: the avoided cost of a nuclear or radiological attack in the United States that a more effective system might prevent. The omission of this avoided cost

---

<sup>23</sup> See, for example, Thomas B. Cochran and Matthew G. McKinzie, "Detecting Nuclear Smuggling," *Scientific American*, April 2008.

<sup>24</sup> Government Accountability Office, *Combating Nuclear Smuggling: DHS's Program to Procure and Deploy Advanced Radiation Detection Portal Monitors Is Likely to Exceed the Department's Previous Cost Estimates*, GAO-08-1108R, September 22, 2008.

<sup>25</sup> Government Accountability Office, *Combating Nuclear Smuggling: DHS's Cost-benefit Analysis to Support the Purchase of New Radiation Detection Portal Monitors Was Not Based on Available Performance Data and Did Not Fully Evaluate All the Monitors' Costs and Benefits*, GAO-07-133R, October 17, 2006.

from a cost-benefit analysis might be justified in several ways. One might be that the likelihood of an avoided successful attack is the same between existing radiation portal systems and the ASP systems. Another might be that it is too difficult to determine quantitatively the benefit from an incremental increase in detection effectiveness. Because the potential consequences of a nuclear or radiological attack would vary widely depending on the location of the attack, and the likelihood and timing of an attack occurring would depend on a terrorist adversary having the requisite intent and capability, calculating the benefits of an avoided attack may have significant uncertainties. Absent such an analysis, however, it is difficult to assess whether a small increase in detector effectiveness would lead to a substantial reduction of the overall security risk.

The National Academies recommended that DNDO consider alternative approaches to the issue of cost-benefit analysis, even though these approaches will not provide fully quantitative and definitive results. These alternative analytical approaches are:

- Capability-based planning to provide a structured assessment of how alternative detection technologies or deployment strategies reduce the risk of a nuclear detonation in the United States.
- Game theory to provide insight into the benefits from deterrence associated with the ASPs.
- Cost-effectiveness analysis and break-even analysis to determine the amount of specific benefits gained per dollar spent or the conditions for which benefits exceed costs.<sup>26</sup>

The last approach may be the most tractable given the large uncertainties associated with understanding the likelihood of a nuclear terrorist attack. As put by the Office of Management and Budget when discussing cost-benefit analysis for regulatory purposes,

It will not always be possible to express in monetary units all of the important benefits and costs. When it is not, the most efficient alternative will not necessarily be the one with the largest quantified and monetized net-benefit estimate. In such cases, you should exercise professional judgment in determining how important the non-quantified benefits or costs may be in the context of the overall analysis. If the non-quantified benefits and costs are likely to be important, you should carry out a “threshold” analysis to evaluate their significance. Threshold or “break-even” analysis answers the question, “How small could the value of the non-quantified benefits be (or how large would the value of the non-quantified costs need to be) before the rule would yield zero net benefits?” In addition to threshold analysis you should indicate, where possible, which non-quantified effects are most important and why.<sup>27</sup>

The National Academies also recommended that DNDO not limit its consideration strictly to the ASP program. The ASP program is one of many programs assembled into a framework called the Global Nuclear Detection Architecture (GNDA).<sup>28</sup> In the GNDA framework, various programs

---

<sup>26</sup> Committee on Advanced Spectroscopic Portals, National Research Council, *Evaluating Testing, Costs, and Benefits of Advanced Spectroscopic Portals for Screening Cargo at Ports of Entry: Interim Report (Abbreviated Version)*, 2009, pp. 51-53.

<sup>27</sup> Office of Management and Budget, The White House, “Regulatory Analysis,” *Circular A-4*, September 17, 2003. See also Office of Management and Budget, The White House, “Guidelines and Discount Rates for Benefit-Cost Analysis of Federal Programs,” *Circular A-94*, October 29, 1992.

<sup>28</sup> For more information on the Global Nuclear Detection Architecture, see CRS Report RL34574, *The Global Nuclear* (continued...)

intersect and overlap in an effort to provide a defense-in-depth-like approach to preventing detonation of a nuclear device within the United States. The National Academies recommended that DNDO “clearly define the ASP program objectives, including describing the new and unique capabilities of the ASPs in the context of their role in the Global Architecture” and “consider tradeoffs and interactions among different elements of the Global Architecture.”<sup>29</sup>

The increased cost of the ASP program and related changes in procurement and deployment plans have led to uncertainty regarding the total costs and benefits of the program. Congress is likely to continue to be interested in the scope of the ASP program, its total cost, how ASP systems would be deployed, the calculated benefits of that potential deployment, and the degree to which this next-generation technology increases homeland security. Additionally, Congress may be particularly interested in the degree to which potential deployment of ASP systems reduces the likelihood of a successful attack and how such considerations are weighed and balanced against other economic factors.

## **Criteria for Secretarial Certification**

The appropriations acts that established the certification requirement provided no definition or explanation of the phrase “significant increase in operational effectiveness.” Absent further congressional guidance, DHS established a definition based on a list of criteria and published it as a memorandum for the record. The GAO and others have criticized these criteria. Congress may be interested in examining whether the criteria meet the certification requirement’s intent. On the other hand, considering that Congress has provided no explanation of the requirement in statute or report language, it may have intended to leave the definition to DHS’s discretion.

## **Durability of Certification Criteria**

The DHS issued a memorandum for the record in July 2008. In the memorandum, DHS agencies, including DNDO and CBP, jointly established certification criteria that constitute their definition of “significant increase in operational effectiveness.” The memorandum is unclassified and less than two pages long. It is possible that additional details supporting the certification criteria are provided elsewhere, but the memorandum gives no indication that this is the case.

The memorandum for the record documents a decision-making process internal to DHS and may be altered or overturned at the discretion of the current Secretary of Homeland Security. The Secretary of Homeland Security could direct the signatory DHS agencies to revisit the memorandum’s criteria, revise them, or negate them entirely, establishing a new set of criteria with which to judge the operational effectiveness of the ASPs. Alternatively, the Secretary of Homeland Security may choose to uphold the memorandum for the record and maintain the existing certification criteria. These criteria were developed through a joint process and represent needs and goals established by the technology users (CBP) and the technology developers (DNDO). As such, they may fully capture the priorities of the participating agencies.

---

(...continued)

*Detection Architecture: Issues for Congress*, by Dana A. Shea.

<sup>29</sup> Committee on Advanced Spectroscopic Portals, National Research Council, *Evaluating Testing, Costs, and Benefits of Advanced Spectroscopic Portals for Screening Cargo at Ports of Entry: Interim Report (Abbreviated Version)*, 2009, pp. 46-47.

## **Amount of Improvement**

Several of the criteria require an improvement in some aspect of performance without specifying a minimum amount of improvement. For the criteria that do specify a minimum amount of improvement, DHS does not explain how it determined that amount. For those with no specified minimum, an improvement so small as to be operationally insignificant would apparently be sufficient. The GAO criticized this approach, which it said

set a low bar for improvement—for example, by requiring ASPs to perform at least as well as current generation equipment when nuclear material is present in cargo but not specifying an actual improvement.<sup>30</sup>

Similarly, the National Academies refer to the criteria as a modest set of goals which do not require significantly improved ability to detect special nuclear material in primary screening.<sup>31</sup>

On the other hand, if the performance of existing systems is already sufficient in certain respects, it may be appropriate simply to preclude backsliding in those areas while seeking to make larger improvements in other areas where current performance is less acceptable. For example, DNDO states that for some threat types, current systems are already expected to detect correctly 100% of the time, so that further improvement would be impossible.<sup>32</sup> Providing fewer quantitative targets might also allow the criteria to be reused for future decisions about further equipment upgrades.

## **Verification of Performance**

The memorandum establishing the criteria does not define under what test conditions or with which test data the criteria are to be verified. For example, it does not specify the types, amounts, or configurations of threat material that are to be detected. Other documents may provide these details, or DNDO may have specific plans that it has not documented formally. In some cases, DNDO officials have stated how particular criteria will be assessed. For example, previously scheduled field validation tests that involve the screening of trucks in actual commerce are to be used to assess the time required for secondary screening, and the results of a specific test campaign at the Nevada Test Site are to be used to assess the ASP's ability to detect special nuclear material.<sup>33</sup> The DNDO does not consider that injection studies, simulations previously described by DNDO as addressing certain special cases, are necessary to meet the certification criteria. The GAO asserts that these injections studies should be completed prior to a certification decision, and the National Academies recommends performing extensive modeling to determine the performance of the ASP system for configurations that cannot be directly tested.

---

<sup>30</sup> Government Accountability Office, *Combating Nuclear Smuggling: DHS Needs to Consider the Full Costs and Complete All Tests Prior to Making a Decision on Whether to Purchase Advanced Portal Monitors*, GAO-08-1178T, September 25, 2008.

<sup>31</sup> Committee on Advanced Spectroscopic Portals, National Research Council, *Evaluating Testing, Costs, and Benefits of Advanced Spectroscopic Portals for Screening Cargo at Ports of Entry: Interim Report (Abbreviated Version)*, 2009.

<sup>32</sup> DNDO, personal communication with CRS, October 9, 2008.

<sup>33</sup> DNDO, personal communication with CRS, October 9, 2008.

## **System Aspects Addressed**

The criteria address certain system aspects, such as detection rates and false alarm rates, but do not expressly address others, such as reliability, ease of use, and cost. For example, the criteria compare ASP performance versus the performance of current systems on a one-to-one basis, without regard to cost, even though ASPs are more expensive than current systems. As the technology developer, DNDO, and the technology user, CBP, jointly established these criteria, these choices presumably reflect DHS's conclusions about which system aspects are most important. Nevertheless, some experts have expressed concern about the criteria's balance, asserting that the criteria should focus more on increasing the likelihood of detecting a genuine threat, rather than on reducing the false alarm rate.<sup>34</sup>

## **Procedural Changes**

The memorandum establishing the criteria states that performance comparisons against currently deployed systems are to be made on the basis of current concepts of operations (CONOPs) and standard operating procedures (SOPs). The ASP systems are to combine radiation detection (the goal of primary screening) with identification of the radiation source (the goal of secondary screening). One might expect that either adding an identification capability to the detection stage or adding a detection capability to the identification stage would be accompanied by changes in CONOPs and SOPs, but no such changes are reflected in the criteria. If changes in CONOPs and SOPs could improve the performance of the ASPs in the field, then assessing performance using test data based on current procedures may not reflect their full capabilities.

## **Computational Modeling and Analysis**

A recurring theme regarding the performance of the ASP systems has been executing computational modeling and analysis to determine the ASP system performance against certain combinations of threat objects and masking materials. The DNDO initially suggested initiating "injection studies" to resolve concerns raised by Department of Energy experts. The GAO, at the time, expressed a preference for expansion of actual, rather than simulated, testing, but has subsequently stated that these injection studies should be completed prior to a secretarial certification decision. The National Academies have also called for computer modeling of the ASP systems. The National Academies recommendations go beyond injection studies to building a comprehensive model of the ASP system and performing physical testing for the purposes of validating the ASP model. Once the model is validated, the model could be used to predict the performance of the ASP against combinations of threat object and masking material not normally available. Although DNDO has initiated the injection studies, they have not attempted to meet the National Academies recommendation to develop a comprehensive model of the ASP system for simulated testing purposes.

## **Detection Threshold and Energy Windowing**

Finally, the criteria compare ASP performance against the performance of current systems as currently configured. They do not compare performance against the same equipment set at other

---

<sup>34</sup> Testimony of Thomas B. Cochran, Ph.D., Senior Scientist, Nuclear Program, Natural Resources Defense Council, before the Senate Committee on Homeland Security and Governmental Affairs, September 25, 2008.

operational detection thresholds that might have different operational ramifications, such as higher detection and false positive rates. In addition, GAO has recommended that DNDO compare the performance of the ASPs against current PVT systems equipped with “energy windowing” software expected to slightly increase the performance of existing systems.<sup>35</sup> The DHS has considered such scenarios in some past analyses but does not require such consideration in the context of the certification criteria.

## **Actions Following Secretarial Certification**

The date for secretarial certification has been postponed several times. The current reported date is Fall 2009, but DNDO officials have stated that they will move forward with the certification decision only when the available test results and other information are sufficient to support it. The decision to proceed with full-scale production of the ASP system is no longer coupled to the secretarial certification. Instead, the secretarial certification and the full-scale production decision will be made separately. According to DHS, “the Secretarial certification requirement is in addition to and in advance of the ... deployment decision.”<sup>36</sup>

If the Secretary of Homeland Security decides to make the required certification on the basis of the existing or new certification criteria, several choices would remain about how to proceed. The Secretary may decide that ASP systems should be fully deployed. The DHS could use whatever funds remain from prior-year appropriations for ASP procurement to begin this process. According to DNDO, approximately \$78 million remain unobligated from FY2007-FY2009 funds appropriated for ASP system acquisition.<sup>37</sup> The DNDO has not requested additional funds for FY2010, stating that existing funds are sufficient to meet current deployment needs.

The Secretary may decide that while ASP systems do represent a “significant improvement in operational effectiveness,” their costs make them less desirable than other possible detection improvements. For example, rather than procure ASP systems, DHS might invest in additional existing secondary inspection systems, achieving comparable reductions in secondary screening time. The DHS has stated that cost-benefit analyses will inform the Secretary’s certification decision, even though the criteria do not mention cost.

The Secretary may decide to acquire and deploy ASP systems on a limited basis. For example, ASP systems might be deployed at high-throughput locations only. It is possible that the benefits of ASPs outweigh their cost in some locations but not others. While preferring to procure ASP systems in large numbers for system performance uniformity and economies of scale, DNDO has stated that it will present various deployment strategies to the Secretary.<sup>38</sup>

Upon secretarial certification, Congress may be interested in the manner and scale of ASP procurement, where and how initial ASP systems would be deployed, and the projected future

---

<sup>35</sup> Government Accountability Office, *Combating Nuclear Smuggling: DHS Improved Testing of Advanced Radiation Detection Portal Monitors, but Preliminary Results Show Limits of the New Technology*, GAO-09-655, May 2009.

<sup>36</sup> Testimony of William K. Hagan, Acting Deputy Director, Domestic Nuclear Detection Office, Department of Homeland Security, before the House Committee on Science and Technology, Subcommittee on Investigations and Oversight, June 25, 2009.

<sup>37</sup> Personal communication with Department of Homeland Security, June 11, 2009.

<sup>38</sup> Testimony of Vayl S. Oxford, Director, Domestic Nuclear Detection Office, before the Senate Committee on Homeland Security and Governmental Affairs, September 25, 2008.

deployment of these systems. The existing radiation portal monitor program has been a multiyear program with continued phased deployment. Consequently, the required time to replace these systems may be of congressional interest. Finally, if the existing radiation portals are superseded by ASP systems, Congress may be interested in the expected lifetime of those ASP systems and DHS's expectation of the development of a next-generation system to replace those ASP systems.

## **Options for Congress**

Congress has several options for addressing the ASP program. These options include awaiting further departmental action, providing legislative guidance to DHS regarding certification of the ASP systems, increasing congressional oversight, reviewing any secretarial decisions regarding certification and procurement, and changing the direction of the ASP program.

### **Maintain Status Quo**

Congress may continue to perform oversight on the ASP program and await further action by DNDO. Such an approach may provide DNDO with sufficient time to develop the requisite data and analyses to support a secretarial certification or to determine that the ASP system should not be further developed.

### **Increase Clarity Regarding a Significant Increase in Operational Effectiveness**

A key question of possible congressional interest might be whether the approach taken by DHS in determining a "significant increase in operational effectiveness" meets congressional intent. The definition developed by DHS for a "significant increase in operational effectiveness" may meet congressional intent, and Congress may be fully supportive of DNDO moving forward with ASP procurement and deployment based on this definition.

Alternatively, Congress might find that the definition used by DHS does not meet congressional intent. If so, Congress might choose to restrict the Secretary's discretion by defining the phrase "significant increase in operational effectiveness" for DHS or by delineating what areas need to be addressed when DHS defines a "significant increase in operational effectiveness." For example, Congress might clarify what activities must be included in determining a "significant increase in operational effectiveness," such as assessment of simulations and modeling or specific cost-benefit assessment approaches, or define a process by which governmental or non-governmental experts provide input into developing the definition.

Congress might also set a deadline for secretarial certification. The DHS has not met previous expectations for the date of certification. Instead, it has engaged in further development and testing following criticisms of its test procedures and results. Congress might direct DHS to make a determination regarding the "significant increase in operational effectiveness" by a specified date rather than continuing with more tests and developmental work.

## **Increase Oversight Activities**

Congress might focus on oversight activities. Congressional committees have held several series of oversight hearings on the ASP program. Further scrutiny of DHS and oversight of the testing and certification process may help to ensure that DHS's decision to certify and procure the ASP system is well founded. In order to assess the robustness and rigor of these decisions, Congress might direct DNDO to develop and provide documentary support for its programmatic decisions to GAO or the National Academies for review.<sup>39</sup> Such an approach might further delay the ASP program, lengthening the time before ASP systems were deployed.

## **Review Secretarial Certification**

If secretarial certification occurs, Congress might assess the certification decision to determine if the certification met its legislative intent. If it did not, Congress might place additional restrictions or requirements on the ASP program. Examples of such restrictions or requirements might include limiting the rate of procurement of ASP systems, directing DHS to reevaluate its decision-making process, or requiring analysis of the certification decision by a third party. As ASP systems are planned to be procured from currently unobligated prior-year appropriations, Congress could rescind such funding.

## **Change Program Direction**

Lastly, Congress might choose to change the direction of the program if secretarial certification does not go forward as planned. Policymakers might choose to direct DNDO to change its expectations of the ASP technology performance and scope, so as to match the tested capabilities. Alternatively, policymakers might direct DNDO to invest additional funds into further development for a fixed period of time, to transfer the program focus away from procurement and towards development milestones. Finally, policymakers might direct DNDO to enhance their development of alternate technologies beyond those incorporated in the ASP systems, attempting to achieve a breakthrough in technology development.

## **Activities in the 111<sup>th</sup> Congress**

Both the House and Senate-passed homeland security appropriations bills contain statutory language regarding the ASP systems. Both versions of H.R. 2892, Department of Homeland Security Appropriations Act, 2010, contain a statutory prohibition on obligating any FY2010 funds for full-scale procurement of ASPs until secretarial certification occurs. Such certification is required for both primary and secondary deployment. Both versions of H.R. 2892 also require the Secretary to consult with the National Academies before certifying.

Both the Senate and the House Appropriations Committee reports contain limitations on the expenditure of funds for full-scale procurement of ASP systems. The House report directs DHS to

---

<sup>39</sup> Such an approach was taken with the National Bio- and Agro-defense Facility (NBAF). Congress directed the DHS Science and Technology Directorate to provide GAO with its risk assessment regarding placing the NBAF on the mainland. NBAF construction funding could not be obligated until GAO reported on the sufficiency of the risk assessment.



submit a reprogramming proposal for the procurement of existing radiation portal monitors to meet any remaining requirements if the secretarial certification is further delayed beyond the first quarter of FY2010. The House report also urges the Department to base its decision on adequate test information, including modeling, and robust cost-benefit analysis. The House report also allows the deployment of existing ASP systems to generate data to inform the secretarial certification decision.<sup>40</sup>

The Senate report directs DNDO to implement three National Academies recommendations prior to making a secretarial certification or procurement decision. The three recommendations are (1) incorporate computer modeling in addition to testing; (2) use available ASPs in operational environments to assess their capabilities; and (3) complete a more rigorous cost-benefit analysis that takes a broader approach to assessing the cost of reducing risk in one area versus another. The Senate report also directs DHS to brief the Senate Appropriations Committee if these recommendations are not followed. In addition, the Senate report asserts that an independent cost-benefit analysis would be beneficial. Finally, the Senate report encourages DHS to review its decision to place acquisition of the ASPs with DNDO rather than within an operational component and suggests that placing currently unobligated and any future requested funds within U.S. Coast Guard, Customs and Border Protection, and Transportation Security Administration may be more appropriate.<sup>41</sup>

## **Author Contact Information**

Dana A. Shea  
Specialist in Science and Technology Policy  
dshea@crs.loc.gov, 7-6844

Daniel Morgan  
Specialist in Science and Technology Policy  
dmorgan@crs.loc.gov, 7-5849

John D. Moteff  
Specialist in Science and Technology Policy  
jmoteff@crs.loc.gov, 7-1435

---

<sup>40</sup> H.Rept. 111-157, accompanying H.R. 2892.

<sup>41</sup> S.Rept. 111-31, accompanying S. 1298.